

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37043	(glucose near5 (level or concentration))	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:14
L2	3196	L1 and ((voltage or potential) near5 (appl \$6))	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:14
L3	2766	L2 and electrode	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:14
L4	816	L3 and "600"/\$.ccls.	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:14
L5	511	4 and (working electrode)	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:15
L6	305	4 not 5	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:15
L7	67	6 and (voltage with field)	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:15
L8	2444	(glucose near5 (level or concentration or amount)).clm.	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:19
S1	1	"4180771".pn.	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 13:57
S2	633	600/345-350.ccls. and fet or isfet	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 13:45
S3	59	600/345-350.ccls. and (fet or isfet or (field adj effect))	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 14:03
S4	4	S3 and ((voltage with oscillat\$3) or ((variable or varied or vary) with voltage))	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 17:45
S5	0	S3 and ((alternating with voltage))	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 17:44
S6	7	S3 and ((ac with voltage))	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 13:53
S7	0	"4180771".pn. and ac	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 13:57
S8	40	600/345-350.ccls. and (fet or isfet or (field adj effect)) and temperature	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 14:03
S9	45	("4180771").URPN.	USPAT	ADJ	OFF	2007/01/05 14:04

S10	32	S9 and temperature	USPAT	ADJ	OFF	2007/01/05 14:39
S11	0	10/744292 and motion	USPAT	ADJ	OFF	2007/01/05 14:40
S12	1	10/744292 and motion	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 16:18
S13	1	"10717722"	US-PGPUB; USPAT	ADJ	OFF	2007/01/05 17:19
S14	1	Nitta.in. and incubator and (inspired air)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:22
S15	445	600/22.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:22
S16	79	S15 and (temperature adj (sensor or transducer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:22
S17	0	S15 and (temperature with (inspired air))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:22
S18	70	(temperature with (inspired air))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:26
S19	3	(temperature with (inspired air)) and incubator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:23
S20	119	(temperature with inspired with air)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:26

S21	9	S20 and (respirator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/01/05 17:27
S22	1552	600/347.ccls. or 600/365. ccls. or ("204"/\$.ccls. and (glucose with electrode))	US-PGPUB; USPAT	ADJ	ON	2007/07/30 17:45
S23	117	S22 and ((voltage with oscillat\$3) or ((variable or varied or vary) with voltage))	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 17:51
S24	9	S23 and (electric field)	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 17:57
S25	1	"4180771".pn.	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 18:10
S26	1	"4020830".pn. and glucose	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 17:58
S27	1	"4020830".pn. and glucose and electrode	US-PGPUB; USPAT	ADJ	ON	2007/07/30 17:58
S28	2	S22 and (fet or isfet or (field effect transducer)) and (sine or sinusoid)	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 18:13
S29	3	09/980661	US-PGPUB; USPAT	ADJ	OFF	2007/07/30 18:13
S30	1	"6575918".pn.	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:27
S31	0	2003/00607025	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:29
S32	0	"200300607025"	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:29
S33	1	"20030060725"	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:30
S34	1	11/219457	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:33
S35	1	11/219457 and cooperative	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:34
S36	1	(non cooperative) near10 breathing	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 11:36
S37	1	"10912721"	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:32
S38	0	10/922147	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:33
S39	1	"6438414".pn.	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:34

S40	5	10/912721	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:41
S41	2597	600/529-542.ccls.	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:53
S42	49	S41 and ((max or maximum or most or greatest or largest or high) with (min or minimum or smallest or least or low) with (ratio))	US-PGPUB; USPAT	ADJ	OFF	2008/06/20 12:54
S43	1	\4180771.pn.	US-PGPUB; USPAT	ADJ	OFF	2008/06/22 19:28
S44	1	"4180771".pn.	US-PGPUB; USPAT	ADJ	OFF	2008/06/22 19:28
S45	1	insulated gate field effect transducer	US-PGPUB; USPAT	ADJ	OFF	2008/06/22 19:30
S46	6893	insulated gate field effect transistor	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:31
S47	837	insulated gate field effect transistor and (cover with (insulat\$3 or dielectric\$))	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:31
S48	644	(glucose or analyte) and (electrode with substrate) and (electrode with cover\$3 with (insulat \$4 or dielectric))	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:32
S49	0	S48 and (electrode with (sine or sinusoid))	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:38
S50	12	S48 and (electrode with (sine or sinusoid))	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:38
S51	22	S48 and (modulat\$3 with field)	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:44
S52	96	S48 and (appl\$5 with (electric field))	US-PGPUB; USPAT	ADJ	ON	2008/06/22 19:59
S53	1	"4822566".pn. and temperature	US-PGPUB; USPAT	ADJ	ON	2008/06/22 20:31
S54	132	("4822566").URPN.	USPAT	ADJ	OFF	2008/06/22 20:39
S55	64	("4822566").URPN. and (electric adj field)	USPAT	ADJ	OFF	2008/06/22 20:42
S56	0	S54 and "600"/\$.ccls.	USPAT	ADJ	OFF	2008/06/22 20:56
S57	0	600/345-350.ccls. and (open capacitor)	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:06
S58	107	600/345-350.ccls. and (electric field)	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:06

S59	3	affinity sensor and strap	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:12
S60	124	S48 and ("600"/\$.ccls.)	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:15
S61	0	S48 and ("600"/\$.ccls.) and strap	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:15
S62	12	S48 and ("600"/\$.ccls.) and belt	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:16
S63	0	10/925074	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:16
S64	0	10/925074	US-PGPUB; USPAT	ADJ	ON	2008/06/22 21:17
S66	204	((analyte or glucose) concentration) and ((resonan\$4 or LC) near5 circuit)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:16
S67	102	S66 and (electrode same (dielectric or insulat\$5))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:18
S68	169	(glucose near5 concentration) and ((resonan\$4 or LC) near5 circuit)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:37
S69	100	S68 and (electrode same (dielectric or insulat\$5))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:37
S70	99	S69 not (magnetic near2 resonan\$5)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:49
S71	34	S69 not (magnetic near2 resonan\$5)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:49
S72	34	S71 not abreau.in.	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:50
S73	18	S71 not abreu.in.	US-PGPUB; USPAT	ADJ	ON	2008/12/15 09:50
S74	4	09/980661	US-PGPUB; USPAT	ADJ	ON	2008/12/15 11:59
S75	1	"4020830".pn.	US-PGPUB; USPAT	ADJ	ON	2008/12/15 12:00
S76	1	"4822566".pn.	US-PGPUB; USPAT	ADJ	ON	2008/12/15 12:01
S77	69	S68 not S69	US-PGPUB; USPAT	ADJ	ON	2008/12/15 12:34
S78	48	S77 and (electrode)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 12:38
S79	38264	(glucose near5 (level or concentration or amount))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 14:14
S80	1711	S79 and (electrode with (insulat\$ or dielectric))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 14:15

S81	397	S79 and (electrode with substrate) and (electrode with cover\$3 with (insulat\$4 or dielectric))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 14:15
S82	397	S79 and (electrode with substrate) and (electrode with cover\$3 with (insulat\$4 or dielectric))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 14:16
S83	630	S79 and (electrode with (through near3 (via or bore or connect\$3 or contact\$3)))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 15:11
S84	191	S79 and (ISFET OR CHEMFET OR (CHEM FET) or (field effect transducer))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 17:12
S85	63	S84 and (strap or band)	US-PGPUB; USPAT	ADJ	ON	2008/12/15 17:13
S86	19	S84 and ((strap or band) with (wrist or arm))	US-PGPUB; USPAT	ADJ	ON	2008/12/15 17:14
S87	1	"5238729".pn.	US-PGPUB; USPAT	ADJ	ON	2008/12/15 17:17
S88	1	10/509232 and (motion)	US-PGPUB; USPAT	ADJ	ON	2008/12/16 00:58
S89	943	600/347.ccls. or 600/365.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:03
S90	78	S89 and (strap or ((arm or wrist) near5 band)) and electrode	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:04
S91	12	600/547.ccls. and (glucose concentration)	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:12
S92	169	(glucose near5 concentration) and ((resonan\$4 or LC) near5 circuit)	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:27
S93	100	S92 and (electrode same (dielectric or insulat\$5))	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:27
S94	34	S93 not (magnetic near2 resonan\$5)	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:27
S95	34	S94 and electrode\$1	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:27
S96	1	elden.in. and spearman and (glucose concentration)	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:48
S97	1	elden.in. and spearman and (glucose concentration) and electrode\$1	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:49

S98	1	"5036861".pn.	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:50
S99	1	"5036861".pn. and electrode	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:50
S100	1	"5036861".pn. and electrode and current	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:52
S101	1	"5238729".pn. and resonan\$	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:55
S102	0	"5238729".pn. and resonan\$ and glucose	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:58
S103	0	"5238729".pn. and glucose	US-PGPUB; USPAT	ADJ	ON	2008/12/18 14:59
S104	0	"5238729".pn. and analte	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:00
S105	1	"5238729".pn. and analyte	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:00
S106	0	"08668650"	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:30
S107	2	"08/668650"	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:30
S108	2	"08/688650"	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:30
S109	1	"5890489".pn. and electrode	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:32
S110	9	susstrunk.in.	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:36
S111	4	"6841389"	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:44
S112	1	"6841389".pn.	US-PGPUB; USPAT	ADJ	ON	2008/12/18 15:45
S113	53	CADUFF.IN.	EPO; DERWENT	ADJ	ON	2008/12/18 16:00
S114	18	CADUFF.IN. and glucose	EPO; DERWENT	ADJ	ON	2008/12/18 16:00
S115	4	CADUFF.IN. and glucose and schrepfer.in.	EPO; DERWENT	ADJ	ON	2008/12/18 16:01
S116	4	09/980661	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:05
S117	37043	(glucose near5 (level or concentration))	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:09
S118	3196	S117 and ((voltage or potential) near5 (appl \$6))	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:12
S119	2766	S118 and electrode	US-PGPUB; USPAT	ADJ	ON	2009/07/16 23:12

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1716	(glucose near5 (level or concentrationor amount)).clm.	US-PGPUB; UPAD	ADJ	ON	2009/07/16 23:19
L10	0	9 and (resonsan\$3 near5 circuit).clm.	US-PGPUB; UPAD	ADJ	ON	2009/07/16 23:19
L11	0	9 and (resonan\$3 near5 circuit).clm.	US-PGPUB; UPAD	ADJ	ON	2009/07/16 23:19
L12	11	9 and (resonan\$3).clm.	US-PGPUB; UPAD	ADJ	ON	2009/07/16 23:20

7/ 16/ 2009 11:22:33 PM

C:\ Documents and Settings\ bnasser\ My Documents\ EAST\ Workspaces\ 09980661.wsp